



The Innovators®. do it.®

1300 4 VATER



INFORMATION

SERIES
120

GRADUATE SERIES
Light Duty & Domestic
Max weight 120KG
34 high x 30 wide - 1mm
Ideal for garden sheds and garages

SERIES
200

DIRECTOR SERIES
Light Duty Industrial
Max weight 200KG
45 high x 35 wide - 1.2mm
Ideal for garages & small industrial sheds

SERIES
450

MATADOR SERIES
Medium Duty Industrial
Max weight 450KG
61 high x 50 wide - 1.55mm
Ideal for larger industrial & rural sheds

SERIES
650

HERCULES SERIES
Heavy Duty Industrial
Max weight 650KG
61 high x 50 wide - 1.6mm
Ideal for larger openings & heavy doors

COMMON
FIT

COMMON FITTINGS
Fits more than one weight rating system

BIFOLD
200

ROUND CORNER + BIFOLD
Max weight 200KG
Ideal for Bifold & Round Corner application

PAGE
4

BOTTOM ROLLER SLIDING DOOR
Ideal for larger openings & heavy doors
NOTE: Different Discount Structures Apply

PAGE
5

ACCESSORIES
Various accessories suitable for all series
NOTE: Different Discount Structures Apply



EH16STHD

•Patent •Registered Design



TRACK

DOOR TRACK



CUSTOM ROLLED FOR
YOUR CONVENIENCE!

EM1 SHOWN	UNIT	PK	GALVANISED KG per M
EG2	METRE	60	0.88
ED2	METRE	60	1.26
EM1	METRE	40	2.47
EH1	METRE	40	2.53


NEW!

UNIT	PK	STAINLESS STEEL KG per 3M
EM1SS	3M LGTH	7.80

CURVED SECTION



600MM RADIUS CURVE




	GALVANISED		
	UNIT	PK	KG per M
ED2600R	EA	20	2.02
EH1600R	EA	20	3.96

TRACK JOINING BRACKET



LOCKING ADJUSTMENT
SCREWS INCLUDED



EDJB SHOWN		GALVANISED	
	UNIT	CTN	KG
EDJB	EA	60	0.25
EHJB	EA	40	0.32

TRACK END STOP - MULTI FIT



ZINC PLATED

	UNIT	CTN	KG
EC40	EA	150	0.05

TRACK END PLATE




EH30 SHOWN		GALVANISED
UNIT	CTN	KG
EA	200	0.02
EA	200	0.03

TOP PLATE & ADJUSTING NUT



ZINC PASSIVATE




	UNIT	CTN	KG
ED37	EA	100	0.07
EM37	EA	100	0.13
EH37	EA	100	0.13

CARRIAGES

•Patent •Registered Design




• LONG SWIVEL PIN
• BALL BEARING RACE
• SMOOTH SILENT OPERATION
• 2 PER DOOR REQUIRED

	SHOWN	NYLON TYRES		
	UNIT	CTN	KG	
EG7	EA	100	0.12	
ED7LP	EA	100	0.15	
EH7	EA	50	0.36	

•Patent •Registered Design



• CAPTURED LOOSE PIN
• SMOOTH SILENT OPERATION
• 2 PER DOOR REQUIRED

	SHOWN	NYLON TYRES	
	UNIT	CTN	KG
EG14LP	EA	80	0.24
ED14LP	EA	80	0.27
EH13LP	EA	20	0.68

FOUR WHEEL - NYLON SWIVEL

•Patent •Registered Design



• FULL INDEPENDENT SWIVEL BODY
• BALL BEARING RACE
• SMOOTH SILENT OPERATION
• 2 PER DOOR REQUIRED


	NYLON TYRES		
	UNIT	CTN	KG
EH14LP	EA	20	0.74

FOUR WHEEL - STEEL

•Patent •Registered Design



• HD NEEDLE BEARING
• CAPTURED LOOSE PIN
• HARDENED THRUST CAPS
• 2 PER DOOR REQUIRED


 STEEL WHEELS SHOWN	STEEL WHEELS		
	UNIT	CTN	KG
EG12	EA	100	0.22
ED12LP	EA	80	0.31
EH12LP	EA	30	0.71

SIDE THRUST - STEEL

•Patent •Registered Design



• HD NEEDLE BEARING
• CAPTURED LOOSE PIN
• HARDENED THRUST CAPS
• 2 PER DOOR REQUIRED



SHOWN

STEEL WHEELS

	UNIT	CTN	KG
EH12ST	EA	30	0.76
EH15ST	EA*	30	0.82

*500kg max


*500kg max

SIDE THRUST - STEEL

•Patent •Registered Design



• FULL INDEPENDENT SWIVEL BODY
• HD BALL BEARING RACE
• 2 PER DOOR REQUIRED

	STEEL OR POLYMER WHEELS		
	UNIT	CTN	KG
EH16ST	EA -STEEL	20	1.10
EH16STHD	EA*-POLYMER *850ka max	18	1.01

*850kg max

BRACKETS

COMBINATION BRACKETS

• BOLT ON • WELD ON • SIDE FIX

• Patent • Registered Design



WELD / BOLT ON SINGLE

• Patent • Registered Design



EH19
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
EG19	EA	150	0.08
ED19	EA	140	0.15
EH19	EA	50	0.24

BOLT ON FLUSH FIX BRACKET ADAPTOR

• Patent • Registered Design



ED / EH120
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
ED120	EA	140	0.08
EH120	EA	100	0.13

COMBINATION BRACKET

• Patent • Registered Design



HOT DIPPED GALVANISED

UNIT	CTN	KG	
EH20G	EA	20	0.42

BOLT SET WITH NUT & WASHER



ZINC PASSIVATE			
UNIT	CTN	KG	
EG64BS	EA	120	0.02
ED19BS	EA	140	0.02
EH19BS	EA	200	0.08

SINGLE SIDE FIX - STEPPED



ED20C
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
GAR1/35	EA	100	0.18
EG20	EA	100	0.15
ED20A	EA	60	0.29
ED20B	EA	60	0.29
ED20C	EA	50	0.34
EH20C	EA	20	0.61

DOUBLE OVERHEAD



ZINC PASSIVATE			
UNIT	CTN	KG	
EG22	EA	60	0.19
EG22A	EA	60	0.28



EH22
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
ED22A	EA	30	0.19
ED22B	EA	30	0.28
ED22C	EA	30	0.41
EH22	EA	30	0.79

SINGLE SIDEFIX SUPPORT



EG23
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
EG23	EA	150	0.06
ED23	EA*	80	0.14
EH23	EA*	50	0.36

*BOLT SET NOT INCLUDED

DOUBLE SIDEFIX SUPPORT

• Patent • Registered Design



ED25
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
ED24	EA	30	0.43
ED25	EA	30	0.38
EH24	EA	20	0.67

SINGLE OVERHEAD CAVITY



EH26
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
ED26	EA	80	0.25
EH26	EA	40	0.37

DOUBLE SUPPORT - WELD



ED27
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
ED27	EA	60	0.25
EH27B	EA	50	0.37

DOUBLE SUPPORT - 300KG



EH28

ZINC PASSIVATE			
UNIT	CTN	KG	
EH28	EA	20	0.60
EH28BP	EA*	50	0.39

*BACK PLATE

DOUBLE SUPPORT - BOLT



EH44

ZINC PASSIVATE			
UNIT	CTN	KG	
EH44	EA	25	0.48

FLASHING - ADJUSTABLE



EC50

ZINC PASSIVATE			
UNIT	CTN	KG	
EC50	EA	60	0.17

DOUBLE SUPPORT



ED64
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
EG64	EA	60	0.17
ED64	EA	60	0.30
ED64C	EA	60	0.35

DOUBLE CENTRE SIDFIX



ED68
SHOWN

ZINC PASSIVATE			
UNIT	CTN	KG	
EG68	EA	50	0.37
ED68	EA	30	0.52
ED68B	EA	30	0.52

DOOR FRAMING SYSTEM

• Patent • Registered Design



CUSTOM ROLLED FOR YOUR CONVENIENCE!

GALVANISED

UNIT	PK	KG per M	
EF4	METRE	40	1.92
EF4S	METRE	40	1.92

DOOR FRAME BACKING RAILS

• Patent • Registered Design



CUSTOM ROLLED FOR YOUR CONVENIENCE!

GALVANISED

UNIT	PK	KG per M	
EB2	METRE	40	1.54

CORNER BRACE

• Patent • Registered Design




GALVANISED

UNIT	CTN	KG	
EFC	EA	50	0.21


TEE JOIN BRACE

• Patent • Registered Design




GALVANISED

UNIT	CTN	KG	
EFT	EA	50	0.21




GUIDE ANGLES



GUIDES

DOUBLE IN GROUND GUIDE


•Patent •Registered Design



GALVANISED			
UNIT	CTN	KG	
EHDIGG	EA	40	0.30


NYLON FLOOR PAD

•Patent •Registered Design




NYLON			
UNIT	CTN	KG	
ECFGP	EA	40	0.18

GUIDE ANGLES



GALVANISED			
UNIT	PK	KG per M	
ECFGAM	METRE	40	2.17

GUIDE PADS




NYLON			
UNIT	CTN	KG	
EC6P	PACK*	50	0.02
*Contains 4 x pads - 8 x pop rivets			

Bottom Roller Sliding Door Systems


TRACK

INGROUND TRACK



GALVANISED			
LENGTH	KG		
OMEGA23	3 METRE	13.0	
OMEGA25.8	5.8 METRE	25.5	

ABOVE GROUND



GALVANISED			
LENGTH	KG		
FLOORZ3	3 METRE	5.0	
FLOORZ5.8	5.8 METRE	10.0	
FLOORV3	3 METRE	4.5	
FLOORV5.8	5.8 METRE	8.5	


TRACK JOINER



ZINC PASSIVATE			
UNIT	CTN	KG	
TJZ	EA	20	0.10
Suits Omega Track			

TOP GUIDE ROLLER

•Patent •Registered Design




ZINC PASSIVATE			
RATING	CTN	KG	
EH16TG	350kg	20	0.38

BOTTOM ROLLER ONLY

DB = DOUBLE BEARING


END NUMBER IS DIAMETER OF WHEEL



ZINC PASSIVATE			
RATING	CTN	KG	
DB-CU120	Roller Only 250kg	8	2.23
DB-CU160	500kg	6	4.05




DB-AU100	Welded Support 400kg	10	1.13
-----------------	----------------------	----	------



DB-BU90	Closed Support 250kg	16	1.50
----------------	----------------------	----	------

ROLLER CASSETTE

•Patent •Registered Design




GALVANISED OUTER ZINC PASSIVATE WHEEL			
UNIT	CTN	KG	
ECBRA350	EA	4	3.80

Round Corner & Bifold Door Systems


TRACK

STANDARD TRACK




CUSTOM ROLLED FOR YOUR CONVENIENCE!			
GALVANISED			
UNIT	CTN	KG per M	
EM1	METRE	40	2.47

BOTTOM CURVED SECTION



• 600MM RADIUS CURVE • SAME AS TOP TRACK			
GALVANISED			
UNIT	CTN	KG	
EH1600R	EA	20	2.79

TRACK JOINING BRACKET




LOCKING ADJUSTMENT SCREWS INCLUDED			
GALVANISED			
UNIT	CTN	KG	
EHJB	EA	40	0.32

CARRIAGES

TWO WHEEL


•Patent •Registered Design



• LONG SWIVEL PIN • BALL BEARING RACE • SMOOTH SILENT OPERATION			
STEEL WITH NYLON WHEELS			
UNIT	CTN	KG	
EH7	EA	50	0.36

FOUR WHEEL


•Patent •Registered Design



• LONG PIN • BALL BEARING RACE • SMOOTH SILENT OPERATION			
STEEL WITH NYLON WHEELS			
UNIT	CTN	KG	
EH14M	EA	20	0.64

WITH SINGLE HINGE

•Patent •Registered Design



EH7SHN


SHOWN

STEEL WITH NYLON WHEELS

UNIT	CTN	KG
EH7SHN	EA20	0.39
EH14SHN	EA20	0.68

WITH DOUBLE HINGE

•Patent •Registered Design




EH14DHN	SHOWN		
STEEL WITH NYLON WHEELS			
UNIT	CTN	KG	
EH7DHN	EA	20	0.42
EH14DHN	EA	20	0.71

HINGES

SPRING LOADED SINGLE HINGE


•Patent •Registered Design



STEEL PIN NYLON HINGE			
UNIT	CTN	KG	
EH6RBSHN	EA	40	0.20

SPRING LOADED DOUBLE HINGE


•Patent •Registered Design



STEEL PIN NYLON HINGE			
UNIT	CTN	KG	
EH6RBDHN	EA	40	0.23

NYLON HINGE


•Patent •Registered Design



NYLON PIN			
UNIT	CTN	KG	
EH62N	EA	40	0.08


HINGE HANDLE

•Patent •Registered Design



NYLON			
UNIT	CTN	KG	
EH62NHANDLE	EA	40	0.03

NYLON GUIDE PIN ONLY





STEEL			
UNIT	CTN	KG	
EH6RBN	EA	40	0.16

LOCKS & STOPS

FLUSH FITTED LOCKS

•Patent •Registered Design


EFFLK



EFFLK
BACK VIEW

GALVANISED			
UNIT	CTN	KG	
EDLK	EA	10	0.49
EDLKT	EA	10	0.82
EFFLK	EA*	4	2.12
EFFLK50SQ	EA*	4	2.12
*FLUSH			

PAD BOLTS




			ZINC
UNIT	CTN	KG	
EPB100	EA	50	0.10
EPB150	EA	30	0.36

LOCKABLE DROP BOLT



			ZINC
UNIT	CTN	KG	
DBP40012L	EA	40	0.55
DB45020	EA	20	1.32

D TYPE HANDLES




			GALV / CHROME
UNIT	CTN	KG	
EHD	EA	30	0.19
ELD	EA	30	0.15
- GALV			
- CHROME			

TEE HANDLE KIT




			ZINC
UNIT	CTN	KG	
ETHK	EA	30	0.21

INSIDE LATCH



			ZINC
UNIT	CTN	KG	
ELH	EA	60	0.13

HASP & STAPLE



			ZINC
UNIT	CTN	KG	
EHS	EA	30	0.43

ACCESSORIES

TRAVEL STOP

For use with bottom roller applications



			GALVANISED
UNIT	CTN	KG	
WTS	EA	10	0.60
FMTS	EA	10	0.93
MX04B	EA*	20	0.90
*ZINC PASSIVATE			

BARN DOOR KITS



INCLUDES:
- 2M TRACK
- 2 X ROLLERS
- FIXINGS
- FLOOR GUIDES



			PCB
KITS	CTN	KG	
BDH01	SIDE FIX	1	6.00
BDH03	OVERHEAD	1	6.00

METAL PIN ANCHORS



			GALVANISED
UNIT	CTN	CTN KG	
SDA6532	EA	100	1.00
SDA6540	EA	100	1.10
SDA6550	EA	100	1.38

MUSHROOM HEAD ANCHOR



			GALVANISED
UNIT	CTN	CTN KG	
MH6538	EA	100	1.89
MH6575	EA	100	2.02

WAFER HEAD TEK SCREW



			GALVANISED
UNIT	CTN	CTN KG	
VWTEK101616G	EA	1000	1.18

FLUSH FIX HINGE



			STAINLESS STEEL
UNIT	CTN	CTN KG	
FFH10075SS	EA	20PR	9.00

BUTT HINGES



			ZINC PLATED
UNIT	CTN	CTN KG	
BH10075FPSS	EA*	40PR	17.0
BH10075FP	EA	40PR	17.0
BH10075LP	EA	40PR	17.0
LOOSE PIN			

CURTAIN HANGER BRACKET




			ZINC PASSIVATE
UNIT	CTN	KG	
ED7MBRK	EA	200	0.02


Bracket Spacing Guide

Calculate the correct support bracket spacings according to door weight on the chart below

WARNING: Incorrect bracket spacing or insufficient number of support brackets may cause premature component wear and poor operation of your sliding door system.

















Max Door Panel Sizes



CATALOGUE RANGE

WWW.VATERHARDWARE.COM

	ELTRAK SLIDING DOOR SYSTEMS CATALOGUE	30pg
	ELTRAK TOP HUNG DOOR SYSTEMS	16pg
	ELTRAK BOTTOM ROLLER DOOR SYSTEMS	12pg
	ELTRAK SLIDING DOOR SYSTEMS PRICE LIST	6pg
	ELGATE SECURITY FENCE & GATE SYSTEMS CATALOGUE	48pg
	ELGATE FENCE & GATE SYSTEMS PRICE LIST	6pg
	ELGATE RURAL FARM & GATE SYSTEMS	6pg
	ELGATE SLIDING GATE HARDWARE	6pg
	VATER SAFETY RAIL & BARRIER FITTINGS	6pg
	VATER GATE AUTOMATION SYSTEMS	6pg
	VATER CANTILEVER GATE SYSTEMS	6pg
	VATER HARDWARE & ACCESSORIES	6pg
	VATER D&D POOL LOCKS & GATE HARDWARE	44pg
	WATCH THIS SPACE! EXCITING NEW PRODUCT RELEASES!	

ADELAIDE

Vater Hardware
28-32 Morgan Street
Wingfield, SA 5013
Tel: +61 8 8268 3511
Fax: +61 8 8445 7470
adelaide@vaterhardware.com

SYDNEY

Vater Hardware
2/78 Heathcote Road
Moorebank, NSW 2170
Tel: +61 2 8777 0777
Fax: +61 2 8777 0778
sydney@vaterhardware.com

BRISBANE

Vater Hardware
2/388 Newman Road
Geebung, QLD 4034
Tel: +61 7 3265 7888
Fax: +61 7 3265 7688
brisbane@vaterhardware.com

MELBOURNE

Vater Hardware
18-24 Pelson Court
Dandenong Sth, VIC 3175
Tel: +61 3 8902 8800
Fax: +61 3 8902 8898
melbourne@vaterhardware.com

PERTH

Vater Hardware
56 O'Malley Street
Osborne Park, WA 6017
Tel: +61 8 9492 8444
Fax: +61 8 9244 5635
perth@vaterhardware.com